



AIB-VINÇOTTE Belgium - Non Profit Organization

Authorized Inspection Body - External Service for Technical Inspections of Workplaces

Main registered office : Diamant Building - Boulevard A. Reyers 80 - B-1030 Brussels

Company number : BE 0402.726.875 - Internet : www.vincotte.com

Safety, quality and environmental services

Original

ANTWERPEN Sales Offices

Noordersingel 23 / B-2140 Antwerpen

Tel.: +32(0)3 221 86 11 - Fax : +32(0)3 221 86 12 - E-Mail : antwerpen-limburg@vincotte.be

Our References

Report n° : ANT/10/11857928/00/EN

Contract Ref. : 0001011189/15000

Your References

Ref.:

Intervention data

Area : AED RENT nv Bedrijvenpark De Veert, 12 2830 Willebroek BELGIUM

Date of visit : 01.07.2011

Performed by : BRION JOERY (2214)

AED RENT nv

Bedrijvenpark De Veert, 12

2830 Willebroek

BELGIUM

**Periodical report concerning your
Common lifting equipment and similar equipment.**

Conclusions :

Performed according to the programme described on page 2 of this report, an inspection of the equipment referred to below failed to reveal any irregularities, so the equipment that was inspected may continue to be used.

When any equipment is referred to as partly inspected or not inspected, please take steps to have a further inspection carried out before bringing it back into service.

Important note

Covered by article 2 of the Belgian Royal Decree of 12 August 1993, applicable since 01 January 1997, the inspected equipment involves work equipment. Periodical inspections on the basis of art. 281 of the ARAB (Belgian General Regulations on Occupational Safety) are not intended to check the compliance of this equipment with the new requirements in the Royal Decree on work equipment.

When required, we are available to carry out a specific inspection on the basis of this RD. Please do not hesitate to contact us for further information.

Please also ensure you that other regulations are not applicable for you.

Ing. J. WINDEY
General Manager

BASIS AND CONTENTS OF OUR INSPECTIONS

1. GENERAL PRINCIPLES

Our periodical inspections are carried out without any prior dismantling and without any loads, as stipulated in art. 281 of the Belgian General Regulations on Occupational Safety (ARAB) (except for electrical welding equipment) and according to the RD of 9 March 2003 as amended by the RD of 17 March 2005 and 13 Mai 2005 for passenger lifts. They include the visual inspection of the proper condition of the accessible elements and checking the devices and components that are important for safety (except electrical welding equipment).

These inspections are not intended to check the design of the equipment, nor do they include the inspection ensuring compliance with the requirements of the RD of 12 August 1993 as amended (Work equipment).

- New passenger lifts shall be subject to a final inspection according to the prescriptions of the lifts Directive 95/16/EC;
- Existing passenger lifts shall be subject to a risk analysis and/or a pre-recommissioning inspection by an EDTC according to the RD of 09 March 2003 as amended by the RD of 17 March 2005 and the RD of 13 Mai 2005;
- Lifting equipment and lifting accessories shall be subject to a pre-(re)commissioning inspection by an EDTC, according to art. 280 of the ARAB. After any major modification or repair of such equipment, an inspection prior to recommissioning is also required by an EDTC. The report on the pre-(re)commissioning inspection must be in your possession at all times.
- Personal protective equipment against falling from heights shall be subject to a pre-recommissioning inspection by an EDTC after a fall of a person, according to the RD of 13/06/2005.

2. FREQUENCY

For businesses and enterprises subject to the ARAB, the frequency of lifting equipment inspections is at least every 3 months, in accordance with art. 281. Moreover, an annual inspection of the mechanisms and the structures is required. For other equipment, the frequency is determined by the articles in the regulation mentioned below, or by the agreement. For passenger lifts, the frequency of the preventive inspections is at least every three months or, under certain circumstances, annually, completed by a six-monthly inspection.

3. INSPECTION PROGRAMS (non exhaustive listing)

AV reference	Equipment	AV procedure	Legislation
L1010	passenger lifts	CL1	RD of 09/03/2003, enclosure II and amendments
L1010	Site lifts, plant lifts, goods lifts, servicelift	CL13	ARAB, art. 281
L1011 L1012 L1013 L1051 L1022	Standard lifting equipment, lifting accessories, lifting platforms, material for scaffolding, standard handling equipment, firefighting equipment	CL2 - CL3 CL9 - CL15	ARAB, art. 281 RD of 31/08/2005
L1014	Personal protective equipment (PPE) against falling from heights: safety belts and harnesses, anchorage points, lifelines	CL14	Codex (Belgian code on welfare in the workplace), Title VII, chapter II, art. 27-RD of 13/06/2005
L1016 L1017	Building site equipment and similar: tower cranes, mobile cranes, materials lifts, movable suspended scaffolding, buckets, baskets, saddles	CL2 - CL4 CL6 - CL16	ARAB, art. 281, 452, 453
L1031	cableways	CL11	ARAB, art. 281
L1019	escalators and travellators	CL8	ARAB, art. 44 quinquies
L1026	metal curtains	CL10	ARAB, art. 662
L1020	specific port equipment and gear	CL2 - CL17	ARAB, art. 281
L1018	vehicle lifts	CL5	ARAB, art. 283bis
L1028	playgrounds and playground equipment	CL7	RD of 28/03/2001
L1030	attractions and amusement park equipment	CL12	RD of 10/06/01, of 18/06/03
P3513	acetylene generators, pressure regulators, burners, flame arresters	35130043	Codex, Title VI - RD of 13/06/199
P3515	centrifuges and similar equipment	3515	ARAB, art. 323

Other equipment is inspected in the light of art. 281 of the ARAB.

Electrical welding equipment: visual inspection without measurements. Electrical measurements must be carried out to check compliance of such equipment with the requirements of art. 57 of the AREI (Belgian general regulations on electrical installations). They should be carried out in particular at the time of commissioning, after each repair or modification, at each new destination or installation in a higher risk environment, on a periodical basis, the frequency being determined according to the results of a risk analysis.

Our electrical inspection department is available for carrying out the measurements.

4. INFORMATION FOR READING THE REPORT

Equipment identification: the information reported here is intended solely for clearly identifying the inspected equipment and is given for illustrative purposes only, in particular as regards the payload.

Inspections marked "*" must statutorily be carried out by an external agency for technical inspections at the work location (EDTC)(RD of 29/04/1999).

- Notes: these are provided for information purposes only and do not affect the conclusions of the inspection.
- Remarks: these result in the obligation to remedy the situation as soon as possible.
- Urgent remarks: these result in the obligation to remedy the situation before any further use.
- Date: next to the description of the inspection, you will find the date on which the next inspection should take place at the latest.

A copy of the checklists (CL) used during the inspections is available upon request.



DESCRIPTION OF THE DEVICES

Motor-driven hoist

Nature : PULLEY ELECTRICAL
Serial number : 07413 10602
Make : VERLINDE
Client number of the equipment : 002
Type : SM10 516 V235
Year of manufacture : 2007
Maximum load : 500KG
Length : 35M

FINDINGS

** Conditions and operation inspection (10.2011)*

Motor-driven hoist

Nature : PULLEY ELECTRICAL
Serial number : 07413 10603
Make : VERLINDE
Client number of the equipment : 003
Type : SM10 516 V235
Year of manufacture : 2007
Maximum load : 500KG
Length : 35M

** Conditions and operation inspection (10.2011)*

Motor-driven hoist

Nature : PULLEY ELECTRICAL
Serial number : 07413 10604
Make : VERLINDE
Client number of the equipment : 004
Type : SM10 516 V235
Year of manufacture : 2007
Maximum load : 500KG
Length : 35M

** Conditions and operation inspection (10.2011)*
Not inspected: according to your statement in use outside.

Motor-driven hoist

Nature : PULLEY ELECTRICAL
Serial number : 07413 10605
Make : VERLINDE
Client number of the equipment : 005
Type : SM10 516 V235
Year of manufacture : 2007
Maximum load : 500KG
Length : 35M

** Conditions and operation inspection (10.2011)*

Motor-driven hoist

Nature : PULLEY ELECTRICAL
Serial number : 07413 10606
Make : VERLINDE
Client number of the equipment : 006
Type : SM10 516 V235
Year of manufacture : 2007
Maximum load : 500KG
Length : 35M

** Conditions and operation inspection (10.2011)*

Motor-driven hoist

Nature : PULLEY ELECTRICAL
Serial number : 07413 10607
Make : VERLINDE
Client number of the equipment : 007

(see next page)



Type : SM10 516 V235
Year of manufacture : 2007
Maximum load : 500KG
Length : 35M

*** Conditions and operation inspection (10.2011)**

Motor-driven hoist

Nature : PULLEY ELECTRICAL
Serial number : 07413 10609
Make : VERLINDE
Client number of the equipment : 009
Type : SM10 516 V235
Year of manufacture : 2007
Maximum load : 500KG
Length : 35M

*** Conditions and operation inspection (10.2011)**

Motor-driven hoist

Nature : PULLEY ELECTRICAL
Serial number : 07413 10610
Make : VERLINDE
Client number of the equipment : 010
Type : SM10 516 V235
Year of manufacture : 2007
Maximum load : 500KG
Length : 35M

*** Conditions and operation inspection (10.2011)**

Motor-driven hoist

Nature : PULLEY ELECTRICAL
Serial number : 07413 10611
Make : VERLINDE
Client number of the equipment : 011
Type : SM10 516 V235
Year of manufacture : 2007
Maximum load : 500KG
Length : 35M

*** Conditions and operation inspection (10.2011)**

Motor-driven hoist

Nature : PULLEY ELECTRICAL
Serial number : 07413 10612
Make : VERLINDE
Client number of the equipment : 012
Type : SM10 516 V235
Year of manufacture : 2007
Maximum load : 500KG
Length : 35M

*** Conditions and operation inspection (10.2011)**

Motor-driven hoist

Nature : PULLEY ELECTRICAL
Serial number : 07413 10613
Make : VERLINDE
Client number of the equipment : 013
Type : SM10 516 V235
Year of manufacture : 2007
Maximum load : 500KG
Length : 35M

*** Conditions and operation inspection (10.2011)**
Not inspected: according to your statement in use outside.

Motor-driven hoist

Nature : PULLEY ELECTRICAL

(see next page)



Serial number : 07413 10614
Make : VERLINDE
Client number of the equipment : 014
Type : SM10 516 V235
Year of manufacture : 2007
Maximum load : 500KG
Length : 35M

** Conditions and operation inspection (10.2011)*

Motor-driven hoist

** Conditions and operation inspection (10.2011)*

Nature : PULLEY ELECTRICAL
Serial number : 07413 10615
Make : VERLINDE
Client number of the equipment : 015
Type : SM10 516 V235
Year of manufacture : 2007
Maximum load : 500KG
Length : 35M

Motor-driven hoist

** Conditions and operation inspection (10.2011)*

Nature : PULLEY ELECTRICAL
Serial number : 07413 10616
Make : VERLINDE
Client number of the equipment : 016
Type : SM10 516 V235
Year of manufacture : 2007
Maximum load : 500KG
Length : 35M

Motor-driven hoist

** Conditions and operation inspection (10.2011)*

Nature : PULLEY ELECTRICAL
Serial number : 07413 10617
Make : VERLINDE
Client number of the equipment : 017
Type : SM10 516 V235
Year of manufacture : 2007
Maximum load : 500KG
Length : 35M

Motor-driven hoist

** Conditions and operation inspection (10.2011)*

Nature : PULLEY ELECTRICAL
Serial number : 07413 10618
Make : VERLINDE
Client number of the equipment : 018
Type : SM10 516 V235
Year of manufacture : 2007
Maximum load : 500KG
Length : 35M

Motor-driven hoist

(see next page)

Nature : PULLEY ELECTRICAL
Serial number : 07413 10619
Make : VERLINDE
Client number of the equipment : 019
Type : SM10 516 V235
Year of manufacture : 2007
Maximum load : 500KG



Length : 35M

** Conditions and operation inspection (10.2011)*

Motor-driven hoist

** Conditions and operation inspection (10.2011)*

Nature : PULLEY ELECTRICAL
Serial number : 07413 10620
Make : VERLINDE
Client number of the equipment : 020
Type : SM10 516 V235
Year of manufacture : 2007
Maximum load : 500KG
Length : 35M

Motor-driven hoist

** Conditions and operation inspection (10.2011)*

Nature : PULLEY ELECTRICAL
Serial number : 07413 10621
Make : VERLINDE
Client number of the equipment : 021
Type : SM10 516 V235
Year of manufacture : 2007
Maximum load : 500KG
Length : 35M

Motor-driven hoist

** Conditions and operation inspection (10.2011)*

Nature : PULLEY ELECTRICAL
Serial number : 07413 10622
Make : VERLINDE
Client number of the equipment : 022
Type : SM10 516 V235
Year of manufacture : 2007
Maximum load : 500KG
Length : 35M

Motor-driven hoist

** Conditions and operation inspection (10.2011)*

Nature : PULLEY ELECTRICAL
Serial number : 07413 10623
Make : VERLINDE
Client number of the equipment : 023
Type : SM10 516 V235
Year of manufacture : 2007
Maximum load : 500KG
Length : 35M

Motor-driven hoist

** Conditions and operation inspection (10.2011)*

Not inspected: according to your statement in use outside.

Nature : PULLEY ELECTRICAL
Serial number : 07413 10600
Make : VERLINDE
Client number of the equipment : 024
Type : SM10 516 V235
Year of manufacture : 2007
Maximum load : 500KG
Length : 35M

Motor-driven hoist

(see next page)

Nature : PULLEY ELECTRICAL
Serial number : 0935305700
Make : VERLINDE
Client number of the equipment : 025



Report n° : ANT/10/11857928/00/EN
Contract Ref. : 0001011189/15000

Type : SM10 516 V235
Year of manufacture : 2009
Maximum load : 500KG
Length : 35M

*** Conditions and operation inspection (10.2011)**
Not inspected: according to your statement in use outside.

Motor-driven hoist

Nature : PULLEY ELECTRICAL
Serial number : 0935305701
Make : VERLINDE
Client number of the equipment : 026
Type : SM10 516 V235
Year of manufacture : 2009
Maximum load : 500KG
Length : 35M

*** Conditions and operation inspection (10.2011)**
Not inspected: according to your statement in use outside.

Total of the equipment inspected

19	10396001	Motor-driven hoist	Cond. & Oper.Insp. or Prev.
----	----------	--------------------	-----------------------------

Total of the equipment not inspected

5	10396001	Motor-driven hoist	Cond. & Oper.Insp. or Prev.
---	----------	--------------------	-----------------------------